SONY

CBK-55PD

ProRes and DNxHD codec board for PMW-F55 and PMW-F5 CineAlta cameras



Overview

Support for Apple ProRes 4444, 422 (HQ), 422 and DNxHD 220x and 145 at variety of frame rates

The CBK-55PD codec board provides additional support for Apple ProRes and DNxHD with the PMW-F55 and PMW-F5 CineAlta cameras. This includes ProRes 4444 12-bit Full HD at 23.98P, 24P, 25P and 29.97P. ProRes 422 (HQ), ProRes 422, DNxHD 220x and DNxHD 145 at a variety of frame rates are also supported.

CBK-55PD must be fitted at a Sony Service Centre (installation fee may apply). Firmware update V5.0 is also required.

ProRes 4444

Supports ProRes 4444 12-bit Full HD at 23.98P, 24P, 25P and 29.97P.

ProRes 422 (HQ) and ProRes 422

Supports ProRes 422 (HQ) 10-bit Full HD and ProRes 422 10-bit Full HD at 23.98P, 24P, 25P, 29.97P, 50i, 59.94i, 50P and 59.94P.

DNxHD 220x and DNxHD 145

Supports DNxHD 220x 10-bit Full HD and DNxHD 145 8-bit Full HD at 23.98P, 25P, 29.97P, 50i and 59.94i.

SONY

Features

Codec Board supports ProRes 4444, ProRes 422 (HQ), ProRes 422, DNxHD 220x and DNxHD 145 at a variety of frame rates

The CBK-55PD Codec Board supports the following recordings with the PMW-F55 and PMW-F5 cameras: ProRes 4444 12-bit Full HD at 23.98P, 24P, 25P and 29.97P: ProRes 422 (HQ) 10-bit Full HD and ProRes 422 10-bit Full HD at 23.98P, 24P, 25P, 29.97P, 50i, 59.94i, 50P and 59.94P; DNxHD 220x 10-bit Full HD and DNxHD 145 8-bit Full HD at 23.98P, 25P, 29.97P, 50i and 59.94i.

NOTE: CBK-55PD must be fitted at a Sony Service Centre (installation fee may apply). Firmware update V5.0 is also required.



Gallery



© 2004 - 2024 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.