SONY

CBK-VF02

3.5" Colour LCD HD Viewfinder for PXW-X500



Overview

3.5" Colour LCD HD Viewfinder for cameras with a rectangle-type26-pin viewfinder interface. The applicable cameras output thehigher resolution QHD signal to this viewfinder.Camera operators can see the LCD, directly, because the opticalloupe and the elbow parts can be flipped-up.

3.5" Colour LCD QHD Viewfinder Uses 26-pin viewfinder interface

Specifications

Genera

Power supply	10.5 to 17.0 V DC (supplied by the camera)
Power consumption	2.0 W
Operating temperature	0C to 40C (32F to 104F)
Storage temperature	–20C to +60C (–4 F to +140 F)
Mass	Approx. 680 g (1 lb 8.0 oz)

SONY

External dimensions	201mm (8 in) x 255mm (10 1/8 in) x 60mm (2 3/8 in) 89mm (3 5/8 in)
3.5-inch colour TFT	
transflective LCD	76.8 × 43.2 mm (31/8 × 13/4
Image display area	inches) (H/V, 16:9 aspect ratio)
dimensions	

Performance	
Brightness	200 cd/m2 (typical) (when eyepiece is attached)
Resolution	500 lines or more
Colour temperature	6500 K (typical)

Connector

Connector

Rectangular 26-pin connector

Supplied accessories

Supplied accessories Operation manual (1)

Optional accessories

Optional accessories Viewfinder Rotation Assembly : BKW-401

SONY

Compatible products

Compatible products	PXW-X500, PMW-500, HXC-D70 -
	Please note to attach the
	viewfinder to the PMW-500, the
	firmware version on the camcorder
	must be 1.10 or later. To attach the
	viewfinder to the HXC-D70, the
	firmware version on the camera
	must be 1.21 or later.

Notes

Notes

Design and specifications are subject to change without notice.

Related products



BKW-401 Viewfinder Rotation Bracket



Gallery



© 2004 - 2024 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.

4