

Betacam SX

Betacam SX is an efficient and reliable digital format that combines excellent picture quality with cost effectiveness.



Overview

- Strengthened base film for more robust tape.**
- Thinner tape allows increased recording time.**
- Refined high density particle packing and advanced calendaring systems optimises tape surface.**
- Ultra fine magnetic particles for high output**
- High durability and long head life, even under punishing conditions**
- Cleaning Tape: BCT-5CLN**

Specifications

General Characteristics

Master Carton Quantity (piece)	BCT-194SXLA: 10 BCT-184SXLA: 10 BCT-124SXLA: 10 BCT-94SXLA: 10 BCT-64SXLA: 10 BCT-62SXA: 50 BCT-32SXA: 50 BCT-22SXA: 50 BCT-12SXA: 50 BCT-6SXA: 50
Master Carton Weight (kg)	BCT-194SXLA: 7.7 BCT-184SXLA: 7.6 BCT-124SXLA: 7 BCT-94SXLA: 6.8 BCT-64SXLA: 6.5 BCT-62SXA: 15.2 BCT-32SXA: 13.8 BCT-22SXA: 13.3 BCT-12SXA: 12.8 BCT-6SXA: 12.6
Playing time (min)	BCT-194SXLA: 194 BCT-184SXLA: 184 BCT-124SXLA: 124 BCT-94SXLA: 94 BCT-64SXLA: 64 BCT-62SXA: 62 BCT-32SXA: 32

BCT-22SXA: 22
 BCT-12SXA: 12
 BCT-6SXA: 6

Tape length (m)

BCT-194SXLA: 707
 BCT-184SXLA: 671
 BCT-124SXLA: 456
 BCT-94SXLA: 349
 BCT-64SXLA: 241
 BCT-62SXA: 231
 BCT-32SXA: 124
 BCT-22SXA: 88
 BCT-12SXA: 52
 BCT-6SXA: 31

Weight (g)

BCT-194SXLA: 720
 BCT-184SXLA: 710
 BCT-124SXLA: 655
 BCT-94SXLA: 630
 BCT-64SXLA: 600
 BCT-62SXA: 270
 BCT-32SXA: 240
 BCT-22SXA: 230
 BCT-12SXA: 220
 BCT-6SXA: 215

Magnetic Properties

Intrinsic coercivity (kA/m)	125.0
Retentivity (mT)	245.0
Squareness (Br/Bm)	0.85

Physical Properties

Thickness: backcoating (μm)	1.0
Thickness: base (μm)	11.0
Thickness: magnetic layer (μm)	2.0
Thickness: total (μm)	14.0
Width (mm)	12.65

Gallery

