

## FWD-65X70G/T

65" BRAVIA 4K Ultra HD, HDR, LED Professional Display



#### Overview

# High quality 4K HDR images with TRILUMINOS Display

Make business more entertaining with the FWD-65X70G/T 65" BRAVIA Professional Display that combines lifelike 4K HDR image quality with easy operation, flexible networking/control and smart content sharing.

Optimised for professional applications, the BRAVIA FWD-65X70G/T delivers richly coloured, high-contrast 4K HDR images, while 4K X-Reality PRO upscales lower-resolution images closer to true 4K quality.

With advanced control, Simple Pro Mode and optional interactive compatibility, it makes it easy to create attractive digital signage so you always present a clear image.

Enrich your audience's display experience with seamless TEOS integration (\*2) and a choice of built-in solutions to add extra functionality, from meeting room support to automation.

For even greater peace of mind there's the added reassurance of our 3 Year Advanced Exchange PrimeSupport service. If there's a problem with your display, we'll offer a free, brand new replacement product rather than repair included as standard.



You can also choose to extend your service by 2 additional years.

#### **Features**

#### 4K image resolution (3840 x 2160 pixels)

4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.

#### See finer detail

4K X-Reality PRO upscales pictures closer to true 4K quality. Images are sharpened and refined in real time, revealing extra detail from lower-resolution picture sources.

#### More colour with TRILUMINOS Display

TRILUMINOS Display maps colours from a wider palette, faithfully reproducing a world of richer, more lifelike hues and tones.

#### **Smoother movement**

Motionflow XR inserts additional picture frames between the originals, ensuring smoother, sharper detail in fast-moving sequences.

#### Optimised for professional use

The FWD-65X70G/T meets the needs of today's business and educational environments, with flexible installation options plus wired or wireless network connection and serial communication control.

#### **TEOS Integration (\*2)**

BRAVIA integrates seamlessly with TEOS, Sony's suite of workspace management applications that orchestrate control of devices and content in boardrooms, meeting areas and public spaces.

#### **Smart Plug & Play**

Connect a smartphone or USB drive to share video, photos or music content directly on BRAVIA.



#### Flexible mounting and installation

BRAVIA Professional Displays offer flexible mounting options with VESA standard mounting for easy integration into a wide range of environments.

#### Greater peace of mind

There's extra reassurance with our 3 Year Advanced Exchange PrimeSupport service that's included as standard. If there's a fault with your BRAVIA Professional Display, we'll provide a replacement unit at no extra charge to keep you up and running.

#### Specifications

TV System	
TV System (Digital Terrestrial)	DVB-T/T2
TV System (Digital Cable)	DVB-C
TV System (Digital Sat)	DVB-S/S2
Number of Tuners (Terrestrial/Cable)	1 (Digital / Analog)
Number of Tuners (Sat)	1

Display features	
Dimming type	Frame Dimming
Display device	LCD

Backlight type	Direct LED
Brightness (cd/m2) (*1)	393
Contrast Ratio (*1)	5000:1
Dynamic Contrast Ratio	350000:1
Response Time (ms) (*1)	12

Video specs	
Wide Mode	Wide Zoom / Normal / Full / Zoom / 14:9
4:3 Default	Yes
Video Processing	4K X-Reality PRO
Motionflow	Motionflow XR 200 Hz (Native 50 Hz)
Compatible with HDR	Yes (HDR10, HLG)
Video Signal	4096 x 2160p (24, 50, 60 Hz), 3840 x 2160p (24, 25, 30, 50, 60 Hz), 1080p (30, 50, 60 Hz), 1080/24p, 1080i (50, 60Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i 480p, 480i



Audio specs	
Speaker position	Down Firing
Audio Power Output	10 W + 10 W
Network specs	
Wi-Fi direct	Yes
Wi-Fi Certified	Yes
DLNA	Home Network Client / Home Network Renderer
Miracast (screen mirorring)	Yes
Firmware update	Yes
Internet Browser	VEWD
Wireless LAN	Integrated
Convenience features	
	MPEG1 / MPEG2PS / MPEG2TS / AVC HD / MP4Part10 / MP4Part2 /

USB Play (contents)

MPEG1 / MPEG2PS / MPEG2TS /
AVCHD/MP4Part10/MP4Part2/
AVI(XVID) / AVI (MotionJpeg) /
WMV9/MKV/WEBM/WAV/MP3

	/WMA/JPEG
On screen clock	Yes
Sleep timer	Yes
On/Off timer	Yes
Professional Featu	res
Professional Hidden Mode	Yes
HDMI auto wake-up	Yes
Multicast / IPTV	Yes
Compatible with TEOS Workplace Management Solution (*2)	Yes
Available storage	4 GB
Compatible TEOS Content	Customised design, text, pictures, videos, YouTube, traffic, weather, public information, Facebook,

Twitter, PowerPoint and more

#### Inputs and outputs

HDCP

#### HDCP 2.3 (for HDMI 1 / 2 / 3)

RF Connection Input(s)	1 (Side)
Composite Video Input(s)	1 (Bottom)
HDMI™ Connection(s) (Total)	3 (2 Side, 1 Rear)
Digital Audio Output(s)	1 (Bottom)
Audio Out	1 (Rear / Hybrid with Headphone Out)
USB	3 (Side)
Ethernet Connection(s)	1 (Bottom)

# Design features Finish (Surface Color) Black Table Top Stand Separate (assembly required) VESA® Hole Spacing Compatible VESA® Hole Pitch 30.0 x 30.0 cm

Eco and energy saving	
Energy Label Rating	A
Screen size (measured diagonally)	65" (64.5")
Power Consumption	Standard: 151 W
Annual Power Consumption	220 kWh / Year
Power Consumption (in Standby)	0.50 W
Power Consumption (networked standby mode)	2.00 W (Wi-Fi) / 2.00 W (LAN)
Peak Luminance Ratio	74%
Lead content	Yes
Mercury content (mg)	0.0
Power Requirements	AC 220-240 V
Power Saving Mode / Back Light Off Mode	Yes
Dynamic Backlight Control	Yes
AC Power Input	1 (Rear)



Measurements	
Display Only (W x H x D) (Approx.)	Approx. 146.3 x 84.5 x 8.0 (1.30) cm
Display with Stand (W x H x D) (Approx.)	Approx. 146.3 x 90.9 x 33.6 cm
Package Carton (W x H x D) (Approx.)	Approx. 156.9 x 95.6 x 18.6 cm
Weight	
Display Only	20.5 kg
Display with Stand	21.6 kg
Package Carton	31 kg
Display specification	
Viewing angle (Right / Left)	178 (89/89) degree
Viewing angle (Up / Down)	178 (89/89) degree
Display resolution	QFHD
Aspect ratio	16:9
OS	Linux



Control specs	
Hotel Mode Pro	Yes (Simple)
IP Control	Yes
PrimeSupport	
Included PrimeSupport	3 years of Standard helpdesk (Mon-Fri 9:00-18:00 CET) and Advanced Replacement service in case of product fault with all logistics covered.
Optional PrimeSupport Extensions	Optional 2-year support extension available: PSP.FW7G-65.2X
Notes	
(*1)	Typical value of the panel spec.
(*2)	Requires TEP-TX5 Player

### Gallery

