

BRAVIA BZ30J Series

Standard 4K Ultra HD HDR Professional Displays with business-friendly features in screen sizes from 32" to 75"



Overview

Beautiful pictures, made for business

Available in a choice of screen sizes from 32"-75", BRAVIA BZ30J offers sumptuous 4K HDR picture quality pictures with an extrawide viewing angle – adding impact to signage and all your visual communications in business, retail, educational and public environments. It's the business-friendly professional display, with reliable 24/7 operation, productivity-focused apps on board, easy customisation and simple content sharing.

BRAVIA BZ30J Series brings greater clarity, colour and contrast to corporate meetings, presentations and digital signage. Advanced Sony picture processing technologies add even more impact and realism to videos, photos, charts, graphics and text. 4K X-Reality PRO upscales lower-resolution picture sources closer to true 4K quality, sharpening and refining in real time to reveal extra detail. The panel's extra-wide viewing angle ensures that everyone in the room can enjoy clear, bright images wherever they're positioned.

Features

Exquisitely rich, natural colour

Sony's power-packed 4K HDR Processor X1 and TRILUMINOS PRO technology ensure that BRAVIA BZ30J Series faithfully reproduces a phenomenal range of rich, true-to-life colours.

Fluid, blur-free movement

Motionflow XR technology ensures that on-screen content always remains smooth, clear and blur-free – even with fast-moving video scenes.

Smart apps

BRAVIA BZ30J Series helps your business move forward with inbuilt apps and solutions including screen mirroring, digital signage and meeting room management. There are even more smart apps to explore at Google Play Store.

Round the clock reliability

Because business never sleeps. BRAVIA BZ30J Series is ruggedly engineered for reliable 24/7 operation – ideal for applications like signage where your message always needs to be clearly visible.

Stunning images in any orientation

BRAVIA fits right in with your business needs. The display can be mounted horizontally (landscape) or vertically (portrait) to suit any environment, from corporate boardrooms to digital signage. Tilt your BRAVIA to help capture your audience's attention*.

Quick set-up

Pro Mode lets you customise and store display settings to suit different environments, then copy them easily to multiple displays via USB flash memory. One Step Setting optimises picture and network settings for meeting rooms and signage applications at the touch of a button.

Signage made simple

In-built support for HTML5 makes it easy to display interactive signage content on BRAVIA BZ30J Series without the need for a dedicated set-top box, media player or PC.

Cast your content wirelessly

^{*}The tilt degree varies by model

With AirPlay2 and Chromecast built in it's easy to cast videos, apps and other content wirelessly from your own device directly to BRAVIA BZ30J Series. There's also support for other third-party wireless collaboration tools.

With BRAVIA, sustainability in every scene

With growing demand for ever larger display screens, there is also the risk of greater resource and energy use. However, Sony's sustainability commitments are realising efficiency gains from product development right through to watching TV and viewing screens.

Convenient connections

Signal connections, networking and other interfaces are conveniently side mounted for easy access when the displays in portrait position.

24/7

Because business never sleeps: BRAVIA is engineered for dependable 24/7 operation in the most challenging corporate and commercial environments.

Energy Saving

BRAVIA incorporates advanced energy saving features to reduce power consumption and keep running costs in check.

Easy integration

BRAVIA BZ30J Series is made for today's connected world. There's seamless support for today's leading automation and control platforms, while open APIs simplify integration with a wide range of solutions from other vendors.

Specifications

Display Features

32" Screen: 300,43" Screen: 400,

Brightness (cd/m2)	50"Screen: 440 , 55"Screen: 440 , 65" Screen: 440, 75" Screen: 440
Native Contrast Ratio	32" Screen: 3000:1, 43" Screen: 1200:1 50"Screen: 5000:1, 55"Screen: 1200:1, 65" Screen: 1200:1, 75" Screen: 1200:1
Dynamic Contrast Ratio	32" Screen: 260000:1, 43" Screen: 400000:1, 50"Screen: 300000:1, 55"Screen: 300000:1, 65" Screen: 300000:1, 75" Screen: 300000:1
Response Time (ms)	6
Panel type	32" Screen: VA 43" Screen: IPS 50" Screen: VA 55" Screen: IPS 65" Screen: IPS1 75" Screen: IPS
Dimming Type	Local Dimming
Display Device	LCD
Backlight Type	Direct LED
Operation Time	24/7
Portrait Mode	Yes



Display Specification	ons
Screen Size for WEB (diagonal, cm, integer or 1st decimal)	Option 1: 80cm, Option 2: 108cm, Option 3: 126cm, Option 4: 139cm, Option 5: 164cm, Option 6: 189cm
Display resolution (H x V, pixels)	3840 x 2160
Screen Size (inch, measured diagonally)	Option 1: 32"(31.5"), Option 2: 43" (42.5"), Option 3: 50"(49.5"), Option 4: 55"(54.6"), Option 5: 65"(64.5"), Option 6: 75"(74.5")
Viewing Angle (Right/Left/Up/Down)	178(89/89) degree
Display Resolution	QFHD
Aspect Ratio	16:9
Professional Featu	res
Professional Hidden Mode	Yes
HDMI Auto Wake-up	Yes
Multicast/ IPTV	Yes
Compatible with TDM Digital Signage/TEOS	Yes

Solutions

Operating System	Android TV
On-board Storage (GB)	16GB

Network Features	
Wi-Fi Direct	Yes
Wi-Fi Certified	Yes
Wi-Fi Standard	a/b/g/n/ac
Wi-Fi Frequency	2.4GHz/5GHz(for Wi-Fi Direct: 2.4GHz Only)
Codec for Home Network	MPEG1:MPEG1 / MPEG2PS:MPEG2 / MPEG2TS (HDV,AVCHD):MPEG2,AVC / MP4 (XAVCS):AVC,MPEG4,HEVC / AVI:Xvid,MotinJpeg / ASF (WMV):VC1 / MOV:AVC,MPEG4,MotionJpeg / MKV:Xvid,AVC,MPEG4,VP8.HEVC / WEBM:VP8 / 3GPP:MPEG4,AVC / MP3 / ASF(WMA) / LPCM / WAV / MP4AAC / FLAC / JPEG
Apple AirPlay (Internet	Yes



required)		
Chromecast built-in	Yes	
Wireless LAN	Integrated	
Convenience Features		
USB Playback Codecs	MPEG1:MPEG1 / MPEG2PS:MPEG2 / MPEG2TS (HDV,AVCHD):MPEG2,AVC / MP4 (XAVCS):AVC,MPEG4,HEVC / AVI:Xvid,MotionJpeg / ASF (WMV):VC1 / MOV:AVC,MPEG4,MotionJpeg / MKV:Xvid,AVC,MPEG4,VP8.HEVC / WEBM:VP8 / 3GPP:MPEG4,AVC / MP3 / ASF (WMA) / LPCM / WAV / MP4AAC / FLAC / JPEG	
HDMI-CEC	Yes	
On Screen Clock	Yes	
Sleep Timer	Yes	
On/Off Timer	Yes	
	AFR, AMH, ARA, ASM, AZE, BEL,	

BUL, BEN, BOS, CAT, CZE, DAN,

DEU, GRE, ENG, SPA, EST, BAQ,

Diaglacelara	PER, FIN, FRA, GLG, GUJ, HIN, HRV,
Display Language	HUN, IND, ISL, ITA, HEB, JPN, KAZ,
	KAN, KOR, KIR, LAO, LIT, LAV, MAC,
	MAL, MON, MAR, MAY, BUR, NOB,
	NEP, NLD, ORI, PAN, POL, POR,
	RUM, RUS, SOL, SLV, ALB, SRP,
	SWE

Control Specs	
IP Control	Yes
RS-232C Control	1 (Side)
Pro mode	Yes

Inputs & Outputs	
HDMI Signal	4096x2160p(24,60Hz), 3840x2160p(24,30,60Hz), 1080p(30,60Hz), 1080/24p, 1080i(60Hz), 720p(30,60Hz), 720/24p, 480p
HDCP	HDCP2.3(for HDMI1/2/3/4)
AC Power Input	C8 INLET (REAR)
Composite Video Input(s)	1(Side, Mini jack)

HDMI Inputs Total	4 (4Side)
Digital Audio Output(s)	1(Side)
Headphone Output(s)	1(Side)
USB Ports	2(Side)
Ethernet Inputs	1(Side)
RS-232C Input(s)	1(Side)

Audio Specifications

Speaker Position	Down Firing
Audio Power Output	32" Screen: 5W + 5W , 43" Screen: 10W + 10W , 50"Screen: 10W + 10W , 55"Screen: 10W + 10W , 65" Screen: 10W + 10W , 75" Screen: 10W + 10W
Digital Audio Out (Optical) Format	Two channel linear PCM: 48kHz 16bits, Dolby Audio, DTS
Dolby Atmos	Yes
Speaker Type-2	X-Balanced Speaker (not available for 32" Screen)
Speaker Type-2 Clear Phase	
	for 32" Screen)



HDMI Audio Return Channel(ARC)	Yes (eARC/ARC)
HDMI Input Audio Format	5.1 channel linear PCM: 32/44.1/48/88.2/96/176.4/192kHz 16/20/24bits, Dolby Audio, Dolby Atmos, DTS
ARC Output Format	Two channel linear PCM: 48kHz 16bits, Dolby Audio, Dolby Atmos, DTS

Wide Mode Wide Zoom/Normal/Full/Zoom 4:3 Default Yes Video Processing 4K X-Reality PRO Motionflow XR 240 (Native 60Hz), Motion Enhancer Auto mode 4K HDR Processor X1 4K Processor HDR (High Dynamic Yes (HDR10,HLG,Dolby Vision) Range) compatiblity Panel Refresh Rate 60Hz (Native Hertz)



Design Features	
Cable Management	Yes
Frame color	Black
Stand Design	Slim Blade stand
VESA® Hole	Yes
VESA® Hole Pitch(W x H)	32" Screen: 100 x 200 mm, 43" Screen: 200 x 200 mm, 50" Screen: 200 x 200 mm, 55" Screen: 300 x 300 mm, 65" Screen: 300 x 300 mm, 75" Screen: 300 x 300 mm

Eco & Energy saving	
Rating	G
On-Mode Power Consumption ¹ (Lot 5)	32" Screen: 66 W , 43" Screen: 107 W , 50"Screen: 146 W , 55"Screen: 196 W , 65" Screen: 230 W , 75" Screen: 297 W
Power Consumption (in Standby)	0.50W
Peak Luminance Ratio for EU	75%

Mercury Content (mg)	0
Power Saving Mode / Back Light Off	Yes
Power Requirements (voltage)	Input 220 V - 240 V AC, 50 Hz

Regulatory approvals

CE Regulatory approvals CB EAC

Dimensions

Display Only (W x H x D)	32" Screen: Approx. 72.6 x 43.0 x 7.6 (2.60) cm 43" Screen: Approx. 97.2 x 56.7 x 7.0 cm, 50"Screen: Approx. 112.6 x 65.3 x 7.0 cm, 55"Screen: Approx. 124.3 x 71.9 x 7.1 cm, 65" Screen: Approx. 146.2 x 84.2 x 7.1 cm 75" Screen: Approx. 168.6 x 96.9 x 7.2 cm
Display with Stand (W x H x D)	32" Screen: Approx. 72.6 x 45.4 x 17.2 cm, 43" Screen: Approx. 97.2 x 63.2 x 28.6 cm, 50" Screen: Approx. 112.6 x 71.8 x 28.6 cm, 55" Screen: Approx. 124.3 x 78.7 x 33.8 cm 65"



	Screen: Approx. 146.2 x 91.2 x 33.8 cm, 75" Screen: Approx. 168.6 x 104.5 x 41.0 cm
Dimension of Package Carton (W x H x D)	32" Screen: 43" Screen: 50"Screen: 55"Screen: 65" Screen: 75" Screen:

Weights (Approx.)	
Display Only	32" Screen: Approx. 7.5 kg, 43" Screen: Approx. 10 kg, 50"Screen: 12.3 kg, 55"Screen: Approx. 15.7 kg, 65" Screen: Approx. 21.6 kg, 75" Screen: 31.6 kg
Display with Stand	32" Screen: Approx. 7.7 kg, 43" Screen: Approx. 10.5 kg, 50"Screen: 12.9 kg, 55"Screen: Approx. 16.6 kg, 65" Screen: Approx. 22.5 kg, 75" Screen: 32.9 kg
Package Carton (Gross)	32" Screen: Approx. 11 kg, 43" Screen: Approx. 14 kg, 50"Screen: 17 kg, 55"Screen: Approx. 23 kg, 65" Screen: Approx. 30 kg, 75" Screen: 45 kg

Optional Accessories

SU-WL450 (Terminal access limitation, refer to SU-WL450 product page), SU-WL850, SU-WL500

PrimeSupport

3 Years warranty with Repair or if necessary advanced exchange handled by local partner, on premise where possible.

Further Information

Product
Information Sheet

https://eprel.ec.europa.eu/qr/526771

Notes

1

Lot 5 On mode power demand in Standard Dynamic Range SDR kWh/1000h

Related products




BRAVIA

Signage Free

Standalone simple digital signage (Free)

Gallery





© 2004 - 2024 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.