FWL-65W855C

65" BRAVIA Professional Full HD Colour LED Display



Overview

Full HD picture quality and Android TV for corporate, education and digital signage applications

This slim, energy-efficient 65" BRAVIA Professional Full HD LED display brings all your visual communications to life in boardrooms, offices, public spaces, retail venues and schools.

Create public display and signage applications that stand out from the crowd in Full HD resolution, with superb colour and contrast. Android TV allows quick customisation and extra functionality with a growing range of B2B applications, including content sharing, videoconferencing and more. And with Google Cast it's easy to share content wirelessly from a PC, tablet or smartphone with easy screen mirroring.

Integration is simple, with flexible mounting and versatile control options. Hotel Mode allows customisation and storage of advanced display settings.

With support for HTML5 built in, BRAVIA offers a complete entrylevel networked digital signage solution with no extra boxes or player hardware needed. TDM digital signage licenses provide access to an easy-to-use, intuitive design tool - letting you build compelling, media-rich signage for one or more screens, with no

need for prior design skills or special training. And for even greater versatility, an optional overlay turns BRAVIA into a multipoint touch sensitive display for interactive kiosk and information point applications

Features

Full HD image resolution (1920 x 1080 pixels)

Enjoy crisp, clearly detailed images in a wide range of corporate display, education and digital signage applications.

Portrait hardware compatibility

Achieve greater flexibility with portrait hardware compatibility. Now retail, schools and businesses have more choice than ever to create compelling signage for every kind of space, with no prior training needed; add graphics, text, video and sound files in minutes. Full compatibility with TDM Digital Signage.

Great looking images from any input source

Sony's powerful X-Reality PRO engine cleans, refines and upscales any content - including lower-resolution sources - for superb Full HD picture quality, whatever you're watching. From client presentations to high-impact digital signage, you'll see the difference with better looking pictures.

Do more with the power of Android TV

Personalise and control BRAVIA Professional Displays with Android TV. Download a growing range of B2B-focused apps to create a customised, even smarter display experience.

Easily share content with Google Cast

Send content to display on BRAVIA from other professional and personal devices, including laptops or Android/iOS phones and tablets.

Energy-efficient LED Backlight

The panel's LED backlight consumes less power than conventional fluorescent backlighting, reducing running costs

and permitting an ultra-slim, discreet profile.

Practical features for better business

BRAVIA is great for retail and public display applications: advanced controls include Hotel Mode, HDMI auto wake-up and 17/7 operation.

Built-in HTML5 for dynamic box-free signage

Integrated support for HTML5 makes it easy and cost effective to create your own digital signage content. Combine text, graphics and video with live web feeds and IPTV to produce compelling displays with no dedicated hardware player needed.

Quick set-up with Hotel Mode

Customise and store display settings and features, then copy them easily from display to display via USB flash memory.

Versatile remote control options

Control BRAVIA remotely – including on/off, input signal select and adjust volume – over IP via RJ45 by web API or via RS-232C.

Control with your smartphone

One-touch Mirroring lets you use your smartphone to swipe, enlarge, move and select content on the big screen for everyone to see.

Internet ready

Ethernet connector and built-in Wi-Fi allow easy wired or wireless Internet connection.

Integrated IPTV system

Stream IP TV content directly to the BRAVIA with no need for any set-top boxes or media players. Add interactive channels, videoon-demand, interactives menus, video security live streams and more.

Integrated media player

Play videos and other media content directly from USB flash memory or live streaming in a wide range of file formats.

Easy, flexible integration

The slim, stylish display offers VESA standard mounting for easy integration, and blends elegantly into a wide range of corporate, retail or educational environments.

Specifications	Display specifications		
	Brightness (cd/m²)***	400	
	Native constrast ratio	4,000:1	
	Response time (ms)	6,5	
	Dynamic contrast ratio	over 1 million	
	Viewing angle (Right/Left/Up/Down)	178 (89/89/89/89)	
	Display resolution	Full HD	
	Aspect ratio	16:9	
	Portrait (Hardware compatibility)*	Yes***	
	TV System		
	Tuner	No	

Android system	Yes
Display features	
Dimming type	Frame Dimming
Display device	LCD
Backlight type	Direct LED
Operation time	17/7
Video specs	
Wide Mode	Full/Normal/Wide Zoom/Zoom/Caption/14:9 for Video Normal/Full1/Full2 for PC
4:3 Default	Yes
Video Processing	X-Reality PRO
Motionflow	Motionflow XR 800Hz
Video Signal	1080/24p (HDMI only); 1080/60i; 1080/60p (HDMI/Component); 1080/50i; 1080/50p (HDMI/Component); 480/60i; 480/60p; 576/50i; 576/50p; 720/60p; 576/50p; 1080/30p (HDMI only);

720/30p (HDMI only); 720/24p (HDMI only)

HDMI auto wake-up	Yes*
3D	Active
3D glasses	TDG-BT500A

Audio specs	
Speaker position	Down Firing
Audio Power Output	10W+10W
Invisible speaker	Yes

Signage specs	
Easy HTML5 Signage embedded	Yes
Multicast / IPTV	Yes (UDP/RTP)
Compatible content	Customised design, text, pictures, videos, PowerPoint, YouTube, traffic, weather, public information, Facebook, Twitter and more.

Network specs

Wi-Fi direct	Yes
Wi-Fi Certified	Yes
DLNA	Yes
Miracast (screen mirorring)	Yes
Firmware update	Yes (network or USB)
Internet Browser	Yes (Opera)
Wireless LAN	Integrated

(ONVAN	IANCA	teatures
		reaction

Twin picture	PAP(2 size)/PIP
USB Play (contents)	MPEG1 / MPEG2PS / MPEG2TS / AVCHD / MP4Part10 / MP4Part2 / AVI(XVID) / AVI(MotinJpeg) / MOV / WMV / MKV / WEBM / 3GPP / MP3 / WMA / WAV / JPEG / MPO / RAW(ARW)
On screen clock	Yes
Sleep timer	Yes
On/Off timer	Yes



Google Cast	Yes
Control specs	
Hotel Mode Pro	Yes
IP Control	Yes
RS-232C Control	Yes
Inputs and output	S
MHL	Yes (v2.1)
MHL RF Connection Input(s)	Yes (v2.1) 1 (Bottom)
RF Connection	
RF Connection Input(s)	1 (Bottom)

SCART (without Smartlink)	1 (Rear)
PC In (D-Sub)	1
HDMI™ Connection(s) (Total)	4

Analog Audio Input(s) (Total)	2 (Rear)
Digital Audio Output(s)	1 (Rear)
Audio Out	1 (Side/Hybrid w/HP)
USB	3
Ethernet Connection(s)	1 (Rear)
PCMCIA Slot(s)	1 (Up)

Finish (Surface Color)	Black
Table Top Stand	Included (assembly required)
VESA® Hole Spacing Compatible	Yes (400 x 300 mm)

Light Sensor	Yes
Energy Label	A+
Screen Size (measured diagonally)	65"(64.5") / 163.9cm
Power Consumption	

(in Operation)	123W
Annual Power Consumption	171kWh/Year
Power Consumption (in Standby)	0.5W
Power consumption (Networked Standby)	2.00W (Wi-Fi) / 2.00W (LAN) / 0.50W (Bluetooth)
Peak Luminance Ratio	74%
Lead content	Yes
Mercury content (mg)	0
Dynamic Backlight Control	Yes
Power Saving Mode / Back Light Off Mode	Yes
AC Power Input	1 (Pigtail)

Interactivity

10 point IR touch overlay****

Measurements

Display Only (WxHxD) (Approx.)	145.5x84.3x7.8(1.42) cm
Display with Stand (WxHxD) (Approx.)	145.5x89.1x26.5 cm
Package Carton (WxHxD) (Approx.)	155.3 x 94.3 x 22.4 cm

Weight	
Display Only	23.4 Kg
Display with Stand	24.5 Kg
Package Carton	35.0 Kg

Service and Warranty

Standard Warranty	3 Years with Advanced Exchange
-------------------	--------------------------------

Notes	
*	Please contact your Sony dealer for more information
* * *	Typical value of panel spec
* * * *	SU-WL500 wall mount is recommended

Related products



SNC-EB630B

Basic Box-type 1080p/30 fps Camera Powered by IPELA ENGINE EX™ - E Series



SNC-EB630

Box-type 1080p/30 fps Camera Powered by IPELA ENGINE EX[™] - E Series



SNC-EB632R

Outdoor IR Bullet 1080p/30 fps Camera Powered by IPELA ENGINE EX[™] – E Series



SNC-VB630

Box-type 1080p/60 fps Camera Powered by IPELA ENGINE EX[™] - V Series



SNC-VB635

Box-type 1080p/60 fps Camera with Half-inch Exmor™ CMOS Sensor Powered by IPELA ENGINE EX™ - V Series SNC-XM631

Minidome 1080p/30 fps Camera Powered by IPELA ENGINE EX[™] – X Series **SNC-XM632** Minidome 1080p/30

fps Camera Powered by IPELA ENGINE EX[™] - X Series



Minidome 1080p/30 fps Camera Powered by IPELA ENGINE EX™ - X Series





Minidome 1080p/60 fps Camera Powered by IPELA ENGINE EX[™] - V Series



SNC-XM637

Minidome 1080p/30 fps Camera Powered by IPELA ENGINE EX™ - X Series



EM630 Minidome 1080p/30

MINICOME 1080p/30 fps Camera Powered by IPELA ENGINE EX™ - E Series



SNC-EM631

Vandal-resistant Minidome 1080p/30 fps Camera Powered by IPELA ENGINE EX™ - E Series





SNC-VM631

Vandal-resistant Minidome 1080p/60 fps Camera Powered by IPELA ENGINE EX™ - V Series



SNC-VM632R

Outdoor IR Ruggedized 1080p/60 fps Camera Powered by IPELA ENGINE EX[™] - V Series



SNC-EP580

1080p/30 fps PTZ Camera - E Series



SNC-ER580

1080p/30 fps Rapid Dome Camera - E Series



SNC-WR630

Rapid Dome 1080p/60 fps Camera Powered by IPELA ENGINE PRO[™] - W Series

Gallery



© 2004 - 2024 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.