

## MKS-R3210

32 Button remote control panel



**NETWORKED LIVE**

### Overview

The MKS-R series remote panel controls matrix cross points of both IP and SDI routers connected to NS-BUS system.

### Features

#### **Multiple buttons and functionalities**

MKS-R3210 has 32 buttons for source and destination switching for easy configuration of the remote panel. All the panel products support multiple functions such as Salvo, Chop, Protect, Lock, etc. User friendly web menu for configuration.

#### **Redundant network and power supply**

Redundant power supply by DC IN and PoE. Network redundancy supported by two network ports.

### Specifications

#### General

|              |                           |
|--------------|---------------------------|
| Power supply | 37V, 57V (PoE), DC IN 12V |
|--------------|---------------------------|

|                     |                |
|---------------------|----------------|
| Current consumption | (PoE), 0.7A DC |
|---------------------|----------------|

|                        |  |
|------------------------|--|
| Dimensions (W x H x D) | 440 x 43.6 x 90 mm (17 3/8 x 1 3/4 x 3 5/8 in) |
|------------------------|--|

|                    |  |
|--------------------|--|
| Mass               | Approx. 1.3kg (2lb 14oz)   |
| Temperature ranges | Operational temperature:<br>+5°C~+40°C (+41°F to +104°F)<br>Storage temperature: -20°C~+60°C<br>(-4°F to +140°F) |
| LAN                | RJ-45 (× 2) (PoE x1) 1000BASE-T  |

## Related products



### **PWS-110NM1**

IP Live System Manager Station



### **MKS-R1620**

16 Button remote control panel



### **MKS-R1630**

Remote control panel of NS-BUS system



### **MLS-X1**

Scalable and Reconfigurable Live Production Processor/Switcher



### **XVS-G1**

Powerful and Compact Live Production Switcher

## Gallery

