AN-01

Uni-directional UHF Antenna



Overview

- The AN-01 is a uni-directional UHF Antenna, designed to be used with Sony analogue or digital wireless microphone systems.
- Two AN-01 should be used for diversity reception.
- A single AN-01 can receive a wide frequency range from 470 to 862MHz.
- Either DC 9V or 12V can be used for powering.
- Selectable booster gain (18 dB/10 dB/0 dB).
- The antenna is a log-periodic dipole array.
- It is supplied with a hand grip that supports screw mounting onto a microphone stand.

Specifications

Antenna SectionAntenna TypeLog periodic dipole arrayDirectivityUnidirectionalFrequency Range470 MHz to 862 MHzAntenna Gain5 dBi or more

Voltage Standing Wave Ratio	2.5 or less
Half Power Angle	150 degrees or less
Front To Back Ratio	12 dB or more
Booster Section	
Frequency Range	470 to 862 MHz
Booster Gain	18 dB/10 dB/0 dB, switchable
Voltage Standing Wave Ratio	3.0 or less
Noise Figure	6 dB or less
Third Order Intermodulation	60 dB or more (95 dBµVEMF input)

Input/Output	
Output Connector	BNC-R, 50 Ω
General	
Power Requirements	9 V/12 V DC
Power Consumption	100 mA or less
Operating	32°F to 122°F



Temperature	0°C to 50°C
Storage/Transport Temperature	-4°F to +140°F '-20°C to +60°C
Dimensions *[1]	343 x 341 x 36 mm (excluding microphone stand attachment pole/grip) (W x H x D) 13 1/2 x 13 5/8 x 1 7/16 inches (excluding microphone stand attachment pole/grip) (W x H x D)
Mass	Approx. 530 g Approx. 19 oz
Supplied Accessories	Warranty card (1) Warranty booklet (1) Stand Adapter PF1/2 to W5/8 type (1) Stand Adapter PF1/2 to W3/8 type (1) Operating Instructions (1) Microphone stand attachment pole/grip (1 set)

Notes	
Note	*[1] The values for dimensions are approximate.

Related products



DWR-R03D

DWX Series 2-channel digital wireless receiver

Gallery



© 2004 - 2024 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.