

## UNI-MDPDH180

Pendant Mount Adaptor for outdoor Minidome Cameras



#### Overview

The UNI-MDPDH180 is a 1-inch thread pendant adaptor for use with Sony SNC-VM632R/VM602R/EM632RC/EM602RC and SNC-DH160/DH180/DH260/DH280 video security cameras.

1" NPT pipe thread for pendant mounting. Also suitable for wall mounting (with UNI-WMB4 gooseneck wall mount bracket).

Kit includes gaskets and Teflon tape for water ingress protection outdoors.

All aluminium construction. Light grey finish. Suitable for outdoor or indoor use.

### Specifications

Architecture / Engineering Specifications	
Size (H x W x D)	6.8 x 6.8 x 3.4 inches (173 x 173 x 86.4 mm)
Weight	0.9 lbs. (0.44 kg)
Body Construction	Aluminum



Shipping	
Weight	1.35 lbs. (0.6 kg)
Dimensions	9 x 8 x 4 inches ( 229 x 203 x 102 mm)
Mounting Accessories	
UNI-CMA1	White aluminum corner mount
UNI-PMA1	White aluminum pole mount
UNI-WMBB1	White aluminum wall / pole with (2) 23 inch mounting straps
UNI-WMB4	White aluminum wall mount
Compatible Camera Models	
SNC-DH160/SNC- DH180	720p HD, IR Vandal Resistant
SNC-DH260 / SNC- DH280	1080p HD, IR Vandal Resistant
SNC-EM602RC / SNC- EM632RC	720p/30fps HD, IR Ruggedized E series 1080p/30fps Full HD, IR Ruggedized E series
SNC-VM602R/SNC-	720p/60fps HD, IR Ruggedized V

SNC-VM602R/SNC-



VM632R

series; 1080p/60fps Full HD, IR Ruggedized V series

# Related products



SNC-

Outdoor IR

- V Series

**VM632R** 

Ruggedized 1080p/60

fps Camera Powered

by IPELA ENGINE EX™

# SNC-

**VM602R** 

Outdoor IR Ruggedized 720p/60 fps Camera Powered by IPELA ENGINE EX™ - V Series



### SNC-EM630

Minidome 1080p/30 fps Camera Powered by IPELA ENGINE EX™ - E Series



#### SNC-EM632RC

Outdoor IR ruggedized 1080p/30 fps camera powered by IPELA ENGINE EX™

# SONY

### Gallery

