FWD-55BZ40E

55" 4K HDR Professional Display*



Overview

Spectacular 4K HDR picture quality for corporate displays, education and digital signage

Bring your audience even more compelling, immersive visual experiences with this 55" 4K Professional Display. Slim, beautifully styled and energy efficient, it's ideal for corporate presentations, digital signage, video conferencing and educational applications.

Sony's powerful new-generation 4K HDR Processor X1[™] uses object-based HDR remaster and Super Bit Mapping[™] 4K HDR technology, ensuring ultra-real images with even more depth, texture and naturally pure colours than its predecessor.

X-tended Dynamic Range PRO[™] precisely adjusts light levels in each area of the scene, for spectacular high-contrast images with a brightness range up to five times greater than conventional LED-backlit displays. TRILUMINOS[™] Display maps colours from a wider palette, faithfully reproducing every shade and hue with compelling realism.

With a powerful Professional Mode and HTML5 platform built in, Sony displays offer everything you need to build a complete entry-level networked digital signage solution with no extra boxes or player hardware needed. Play out content directly over

HDMI, from a connected USB device or over the network.

Support for Android TV allows quick customisation and extra functionality with a growing range of B2B applications, including content sharing, video conferencing and more.

Control power, volume, channel change and other functions over the network via a web API. And for even greater versatility, an optional overlay turns your display into a multi-point touch sensitive display for interactive kiosk and information point applications.

Integration is simple, with flexible mounting and versatile control options. Professional Mode allows customisation and storage of advanced display settings.

*Available in Singapore, Vietnam and Indonesia

Features

4K image resolution (3840 x 2160 pixels)

Offering four times the detail of Full HD with a resolution of over 8 million pixels, 4K brings unprecented clarity to corporate display, education and digital signage applications.

Easily create digital signage

Now retailers, schools and businesses have more choice than ever to create compelling signage for every kind of space, with no prior training needed; add graphics, text, video and sound files in minutes. Full compatibility with Digital Signage.

Ultra-real 4K HDR images

Sony's powerful new-generation 4K HDR Processor X1[™] uses object-based HDR remaster and Super Bit Mapping[™] 4K HDR technology, assuring ultra-real images with even more depth, texture and naturally pure colours than its predecessor.

Higher dynamic range and greater contrast

X-tended Dynamic Range PRO[™] ensures spectacular highcontrast images with sparkling highlights and rich, deep shadow detail. Screen light levels are precisely dimmed in some picture areas and boosted in others, for a brightness range up to five times greater than conventional LED-backlit displays. Even standard dynamic range content is upscaled to near 4K HDR quality for unforgettable clarity, contrast and colour.

Greater colours with TRILUMINOS Display

Our unique TRILUMINOS Display technology enhances your audience's viewing with a wider palette of rich, natural-looking colours.

Do more with the power of Android TV

Personalise and control your Professional Displays with Android TV. Download a growing range of B2B-focused apps to create a customised, even smarter display experience.

Easily share content with Google Cast

Send content to view on your display from other professional and personal devices, including laptops or Android/iOS phones and tablets.

Energy-efficient LED Backlight

The panel's LED backlight consumes less power than conventional fluorescent backlighting, reducing running costs and permitting an ultra-slim, discreet profile.

Practical features for better business

BRAVIA is great for retail and public display applications: advanced controls include Professional Mode, HDMI auto wakeup and 18/7 operation.

Built-in HTML5 for dynamic box-free signage

Integrated support for HTML5 makes it easy and cost effective to create your own digital signage content. Combine text, graphics

and video with live web feeds and IPTV to produce compelling displays with no dedicated hardware player needed.

Quick set-up with Professional Mode

Customise and store display settings and features, then copy them easily from display to display via USB flash memory.

Versatile remote control options

Control your Professional Display remotely – including on/off, input signal select and adjust volume – over IP via RJ45 by web API or via RS-232C.

Add the interactive power of touch

Turn your display into an interactive touchscreen or information kiosk. An optional screen overlay fits seamlessly onto your display, adding multi-touch capability to allow instant customer interaction. Contact your local Sony dealer for more information.

Slim styling and easy cable management

Sleek, slim styling looks great in any corporate, retail or educational environment. Our convenient cable management system ensures a neat appearance without visible wires.

Easy, flexible integration

The slim, stylish display offers VESA standard mounting for easy integration, and blends elegantly into a wide range of corporate, retail or educational environments.

TV System	
Tuner	DVB-T/T2
Number of tuners	1 (Digital / Analog)

4

Display features	
Dimming type	Local Dimming
Display device	LCD
Backlight type	Direct LED
Video specs	
Wide Mode	Wide zoom/Normal/Full/Zoom/14:9
4:3 Default	Yes
Video Processing	4K X-Reality PRO
Motionflow	Motionflow XR 800 (Native 100Hz)
Compatible with HDR	Yes
Video Signal	4096x2160p(24, 50, 60Hz), 3840x2160p(24, 25, 30, 50, 60Hz), 1080p(30, 50, 60Hz), 1080/24p, 1080i(50, 60Hz), 720p(30, 50, 60Hz), 720/24p, 576p, 576i, 480p, 480i

Audio specs	
Speaker position	Down Firing
Audio Power Output	10W+10W

Network specs	
Wi-Fi direct	Yes
Wi-Fi Certified	Yes
DLNA	Home Network Client / Home Network Renderer
Miracast (screen mirorring)	Yes
Firmware update	Yes
Internet Browser	Opera
Wireless LAN	Integrated

Convenience features

USB Play	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD
(contents)	/AVI:Xvid,MotinJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,Mc
(CONTENTS)	/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/WAV/MP

On screen clock	Yes
Sleep timer	Yes
On/Off	

timer Yes	
Google Cast	
Inputs and outputs	
HDCP	HDCP 2.2 (for HDMI 1/2/3/4)
RF Connection Input(s)	1 (Side)
Composite Video Input(s)	2 (1 Side Analog Conversion / 1 Rear Hybrid w/Component)
Component Video (Y/Pb/Pr) Input(s)	1 (Rear Hybrid w/Composite)
HDMI™Connection(s) (Total)	4 (3 Side / 1 Rear)
Analog Audio Input(s) (Total)	1
Digital Audio Output(s)	1 (Rear)
Audio Out	1 (Side/Hybrid w/HP and Subwoofer Out)
USB	3 (Side)

Ethernet

Connection(s)	1 (Side)

Design features	
Finish (Surface Color)	Black
Table Top Stand	Separate(assembly required)
VESA® Hole Spacing Compatible	Yes

and	$savin\sigma$
	Jumb

Screen size (measured diagonally)	55" (54.6")
Power Consumption (Rated)	171W
Annual Power Consumption	[Singapore] TBD kWh/Year
Power Consumption (in Standby)	0.50 W
Power Requirements	DC 19.5V
Power Saving Mode / Back Light Off Mode	Yes
Dynamic Backlight	

Control	Yes
Light Sensor	Yes
AC Power Input	AC ADAPTER

Measurements	
Display Only (WxHxD) (Approx.)	Approx. 1228 x 707 x 60 mm
Display with Stand (WxHxD) (Approx.)	Approx. 1228 x 772 x 259 mm
Package Carton (WxHxD) (Approx.)	Approx. 1336 x 834 x 198 mm

Weight	
Display Only	16.9 kg
Display with Stand	18.1 kg
Package Carton	27 kg

Display specifications

Viewing angle (Right/Left)	178 (89/89) degree
Viewingangle	

(Up/Down)	178 (89/89) degree
Display resolution	QFHD
Aspect ratio	16:9
Operating System	Android

Signage specs	
Easy HTML5 Signage embedded	Yes
Multicast / IPTV	Yes

Control specs	
RS-232C Control	1 (Rear/Mini Jack)
IR Pass Through	Yes
Hotel Mode Pro	Yes
IP Control	Yes
HDMI auto wake-up	Yes

Gallery



© 2004 - 2024 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.

11