FW-43XE8001

43" BRAVIA 4K HDR Professional Display



Overview

Superior displays designed for business

Offering advanced control, professional mode, optional interactive compatibility, 18/7 operation and an embedded HTML5 platform for easy digital signage creation: BRAVIA 4K Displays are designed to suit all your professional needs, so you always present a clear image.

There's all the technological performance and style you'd expect from BRAVIA, powered by the latest X1 processor. The 4K LCD panel offers four times the pixel count of Full HD for outstanding picture quality, while the ultra-slim design enhances any corporate or retail environment.

BRAVIA now features a range of built-in solutions to customise your Professional Display exactly the way you want. Options include Corporate Solutions, TDM Digital Signage, Smart Automation System and the Applications Store: there's no need for any external devices or players.

Features

4K image resolution (3840 x 2160 pixels)

Offering four times the detail of Full HD with a resolution of over 8 million pixels, 4K brings unprecented clarity to corporate display, education and digital signage applications.

Easily create digital signage

Now retailers, schools and businesses have more choice than ever to create compelling signage for every kind of space, with no prior training needed; add graphics, text, video and sound files in minutes. Full compatibility with TDM Digital Signage.

Clearer, more natural 4K images

Images are clearer, smoother and more natural with Sony's 4K X-Reality[™] PRO picture processing technology. Advanced noise reduction techniques and a special pattern database ensure that every scene is packed with lifelike detail.

More detail in bright highlights and deep shadows

4K HDR (High Dynamic Range) reveals previously-hidden details in the brightest highlights and areas of dark shadow.

Greater colours with TRILUMINOS Display

Our unique TRILUMINOS Display technology enhances your audience's viewing with a wider palette of rich, natural-looking colours.

Do more with the power of Android TV

Personalise and control BRAVIA Professional Displays with Android TV. Download a growing range of B2B-focused apps to create a customised, even smarter display experience.

Easily share content with Google Cast

Send content to display on BRAVIA from other professional and personal devices, including laptops or Android/iOS phones and tablets.

Energy-efficient LED Backlight

The panel's LED backlight consumes less power than conventional fluorescent backlighting, reducing running costs and permitting an ultra-slim, discreet profile.

Practical features for better business

BRAVIA is great for retail and public display applications: advanced controls include Professional Mode, HDMI auto wakeup and 18/7 operation.

Built-in HTML5 for dynamic box-free signage

Integrated support for HTML5 makes it easy and cost effective to create your own digital signage content. Combine text, graphics and video with live web feeds and IPTV to produce compelling displays with no dedicated hardware player needed.

Quick set-up with Professional Mode

Customise and store display settings and features, then copy them easily from display to display via USB flash memory.

Versatile remote control options

Control BRAVIA remotely – including on/off, input signal select and adjust volume – over IP via RJ45 by web API or via RS-232C.

Add the interactive power of touch

Turn BRAVIA into an interactive touchscreen or information kiosk. An optional screen overlay fits seamlessly onto BRAVIA, adding multi-touch capability to allow instant customer interaction. Contact your local Sony dealer for more information.

Slim styling and easy cable management

Sleek, slim styling looks great in any corporate, retail or educational environment. Our convenient cable management system ensures a neat appearance without visible wires.

Easy, flexible integration

The slim, stylish display offers VESA standard mounting for easy integration, and blends elegantly into a wide range of corporate, retail or educational environments.

Specifications

Display features

Dimming type	Frame Dimming
Display device	LCD
Backlight type	Edge LED
Brightness (cd/m2)(*1)	400
Contrast Ratio(*1)	1300:1
Response Time (ms) (*1)	8
Video specs	
Wide Mode	Full/Normal/Wide Zoom/Zoom/Caption/14:9 for Video
4:3 Default	Yes
Video Processing	4K X-Reality PRO
Motionflow	Motionflow XR 200Hz (Native 50Hz)
Compatible with HDR	Yes
Video Signal	4096x2160p(24, 50, 60Hz), 3840x2160p(24, 25, 30, 50, 60Hz), 1080p(30, 50, 60Hz), 1080/24p, 1080i(50, 60Hz), 720p(30, 50, 60Hz), 720/24p, 576p, 576i, 480p, 480i

Audio specs	
Speaker position	Down Firing
Audio Power Output	10W+10W

Network specs	
Wi-Fi direct	Yes
Wi-Fi Certified	Yes
DLNA	Network Client / Network Renderer
Miracast (screen mirorring)	Yes
Firmware update	Yes (network or USB)
Internet Browser	Yes (Opera)
Wireless LAN	Integrated

Convenience features

	WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/WAV/MP4
(contents)	AVI:Xvid,MotinJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,Mot
USB Play	S):AVC,MPEG4,HEVC/
	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD

On screen

clock	Yes
Sleep timer	Yes
On/Off timer	Yes
Google Cast	Yes

Inputs and outputs	
HDCP	HDCP2.2 (for HDMI1/2/3/4)
RF Connection Input(s)	1 (Side)
Composite Video Input(s)	2 (1 Bottom Analog Conversion / 1 Bottom Hybrid w/Component)
Component Video (Y/Pb/Pr) Input(s)	1 (Bottom Hybrid w/Composite)
HDMI™ Connection(s) (Total)	4 (2 Side / 2 Rear)
Digital Audio Output(s)	1 (Rear)
Audio Out	1 (Rear/Hybrid w/HP and Subwoofer Out)

USB	3 (Side)
Ethernet Connection(s)	1 (Bottom)
Design features	
Finish (Surface Color)	Black
Table Top Stand	Included (assembly required)
VESA® Hole Spacing Compatible	Yes (100 x 200 mm)

Energy Label Rating	A
Screen size (measured diagonally)	43" (42.5")
Power Consumption (in Operation) (Rated / Standard)	Rated: 133W / Standard: 70W
Annual Power Consumption	97 kWh/Year
Power Consumption (in Standby)	0.50 W
Power Consumption	

(Networked Standby 3.00W (Wi-Fi) / 3.00W (LAN) Mode)

Peak Luminance Ratio	75%
Lead content	Yes
Mercury content (mg)	0.0
Power Requirements	DC 19.5V
Power Saving Mode / Back Light Off Mode	Yes
Dynamic Backlight Control	Yes
Light Sensor	Yes
AC Power Input	AC ADAPTER

Measurements	
Display Only (W x H x D) (Approx.)	Approx. 96.4 x 56.7 x 5.7 (1.40) cm
Display with Stand (W x H x D) (Approx.)	Approx. 96.4 x 61.7 x 24.2 cm
Package Carton (W x	Approx $1060 \times 664 \times 156$ cm

H x D) (Approx.)

Approx. 106.0 x 66.4 x 15.6 cm

Weight	
Display Only	10.1 kg
Display with Stand	10.8 kg
Package Carton	15 kg


Display specifications	
Viewing angle (Right/Left)	178 (89/89) degree
Viewing angle (Up/Down)	178 (89/89) degree
Display resolution	4K (3840×2160)
Aspect ratio	16:9
OS	Android 6.0, Marshmallow

Control specs	
RS-232C Control	Yes (jack 3.5)
Hotel Mode Pro	Yes(Simple)
Notes	

Typical value of the panel spec.

(*1)

Gallery



© 2004 - 2024 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.

11