## CBK-WA101

Wireless adapter for PMW-400 and PXW-X320 [Mobile network 3G / 4G / LTE /Wireless LAN]



### Overview

#### Connects directly to PMW-400/PXW-X320 camcorder body to enable easy transmission of content over a wireless network

The CBK-WA101 adapter is specifically designed for the PMW-400 and PXW-X320 camcorder, and can be attached directly to the camera body via a one-click mechanism. It allows XAVC proxy files to be created and then saved on an SD card in the adapter. The CBK-WA101 is then able to upload the proxy content and the original high-resolution content, or perform QoS Live streaming via 3G/4G/LTE/wireless LAN\* to a broadcast station, on-premises server, or to a cloud environment such as XDCAM air.

### Tablet or smartphone control via wireless LAN

By supporting wireless LAN connectivity, the CBK-WA101 allows tablets or smartphones to interact with it and control it via Sony's Content Browser Mobile application. This connectivity for the PMW-400/PXW-X320 camcorder allows users on their mobile device to remotely control the camera and review content without having to connect a monitor to the camcorder.

\* For wireless transmission, wireless LAN/3G/4G/LTE dongles are necessary. For wireless LAN dongle, Sony's "IFU-WLM3" 2.4 GHz wireless LAN dongle or CBK-WA02 (2.4 GHz & 5 GHz WLAN) are available. As for the Cellular Modem dongle, the recommended model differs from country to country depending on the carrier.

## Specifications

| General Specifications   |   |  |
|--------------------------|---|--|
| Weight                   | Approx. 220 g   |  |
| Dimensions (W x H x D)   | 84 x 95 x 55 mm without projection  |  |
| Power Requirements       | DC 12 V   |  |
| Power Consumption        | 4.5W (exclusive of external USB devices)  |  |
| Operating<br>Temperature | 0 to +40 °C<br>+32 to +104 °F   |  |
| Proxy Format (Video)     | XAVC Proxy (AVC/H.264 Main<br>Profile, 4:2:0 Long GOP)<br>- 1920x1080 9M (VBR)/6M (VBR)<br>- 1280x720, 9M (VBR)<br>- 640x360, 3M (VBR)<br>- 480x270, 1M (VBR) |  |
| Proxy Format (Audio)     | AAC-LC, 2ch,128kbps for Stereo  |  |
| USB                      | USB device mini B Type (x1), for<br>Camcorder host A Type (x2), for<br>Wireless LAN USB Device and<br>3G/4G/LTE modem   |  |

Guard Bracket (1)

SD Card Slot (x1)

Recording Media (\*1)

| Supplied Accessories | Pad (2)<br>USB Cable (1)<br>CD-ROM (incl. Operation Manual)<br>(1)<br>Installation Manual (1)<br>Before Using This Unit (1) (*3)<br>Warranty (1)<br>Cord Clamp (5) (*4)<br>Hook and loop fastener (2) (*4) |
|----------------------|--|
| (*1)                 | SDXC memory card (Speed Class: 4<br>or higher)<br>SDHC memory card (Speed Class:<br>4 or higher)   |
| (*3)                 | Three sheets of paper.   |
| (*4)                 | Fixation Parts, use if needed.   |

# Items not supplied in the package of Wireless

|                 | If you use wireless connection, you |
|-----------------|-------------------------------------|
|                 | need a Wireless LAN USB Device      |
|                 | (IEEE 802.11b/g/n compliant) or a   |
|                 | 3G/4G/LTE Modem.                    |
| USB dongle (*2) | Sony Product Wireless LAN USB       |
|                 | Device IFU-WLM3 (2.4 GHz) or CBK-   |
|                 | WA02 (2.4 GHz and 5 GHz) are        |
|                 |                                     |

| recommended. |
|--------------|
|--------------|

| Smartphone or Tablet                                | To view a streaming content, a<br>terminal (a Smartphone or a<br>Tablet) and an application<br>software (Content Browser Mobile)<br>are required.  |
|---|--|
| Application Software<br>(Content Browser<br>Mobile) | Application Software to use with<br>Smartphone or Tablet.  |
| SD media  | Need a media compatible with (*1)  |
| Others  | Other than as mentioned above, a<br>system is needed to connect to an<br>On-Premises Server or a Sony-<br>recommended Cloud Service if<br>transferring the file.   |
| (*2)  | A contract with a carrier is needed<br>in order to use via Wireless<br>LAN/3G/4G/LTE. The availability of<br>USB Dongles varies across<br>countries/areas. A Wireless LAN<br>USB Device and a 3G/4G/LTE<br>Modem cannot be used<br>simultaneously for the File<br>Transfer function. |

### Related products



IFU-WLM3

USB wireless LAN module



### PXW-X320

Three 1/2-inch type Exmor CMOS sensors XDCAM camcorder recording Full HD XAVC 100 Mbps, with wireless and 16x zoom HD lens options. (PXW-X320L lens-less model also available)



## CBK-WA02 CBK

5GHz/2.4GHz Wireless LAN Adapter



#### CBK-DL1

USB Expansion Adapter for Shoulder and Handheld Camcorders

### Gallery



© 2004 - 2024 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.